ARMY SERVICE FORCES CATALOG

ORD 7 SNL G-176

ORGN. SPARE PARTS AND EQUIPMENT

*RESTRICTED

ORDNANCE SUPPLY CATALOG

Group G

Technical Reference TM 9-743

(ORD 7 Standard Nomenclature List No. G-176)

Organizational Spare Parts and Equipment

For

CAR, ARMORED, UTILITY, M20

(Supersedes the OSP&E, ORD 7 SNL G-176 portion of ORD 7-8-9 SNL G-136 and G-176, dated 25 January 1944 (Sections 3 and 4 portion of basic book), as changed by Changes No. 3, dated 27 April 1944 and Changes No. 4, dated 18 September 1944)

Dissemination of restricted matter. –The information contained in restricted documents and the essential characteristics of restricted material may be given to any person known to be in the service of the United States and to persons of undoubted loyalty and discretion who are cooperating in Government work, but will not be communicated to the public or to the press except by authorized military public relations agencies. (See also paragraph 23b, AR 380-5, 15 March 1944.)

Distribution: see Inside Front Cover

HEADQUARTERS, ARMY SERVICE FORCES, 24 OCTOBER 1944

ORD 7 SNL G-176

ORGN. SPARE PARTS AND EQUIPMENT

*RESTRICTED

ORDNANCE SUPPLY CATALOG

GROUP G

Technical Reference TM 9-743

(ORD 7 Standard Nomenclature List No. G-176)

Organizational Spare Parts and Equipment
For

CAR, ARMORED, UTILITY, M20

*RESTRICTED.—Dissemination of Restricted Matter—The information contained in restricted documents and the essential characteristics of restricted materiel may be given to any person known to be in the service of the United States and to persons of undoubted loyalty and discretion who are cooperating in Government work, but will not be communicated to the public or to the press except by authorized military public relations agencies. (See also paragraph 23b, AR 380-5, 15 March 1944.)

(Supersedes the OSP&E, ORD S SNL G-176 portion of ORD 7-8-9 SNL G-136 and G-176, dated 25 January 1944 (Sections 3 and 4 portion of basic book), as changed by Changes No. 3, dated 27 April 1944 and Changes No. 4, dated 18 September 1944.)

This is a list of organizational spare parts and organizational equipment (accessories; tools; sighting and fire control equipment; applicable cleaning and preserving materials; and articles for instructional purposes) which are issued to the using arms or service for its use in performing 1st and 2nd echelon maintenance.

This standard nomenclature list is supplemental to Tables of Organization and Equipment, Tables of Basic Allowances and Tables of Allowances. It is therefore imperative that it be in the hands of all organizations and establishments concerned. Special attention should be given to its distribution.

Standard Nomenclature Lists in the G Group, are published either in one combined or in three separate pamphlets. When combined, the publication contains all information formerly published in the three separate pamphlets.

- (A) When combined, the publication is known as the Ordnance Supply Catalog, ORD 7, 8 and 9.
- (B) When published separately, the following are the three pamphlets-
- (1) The LIST OF ALL PARTS or SERVICE PARTS CATALOG section—This list will be used for identification and storage purposes only.
- (2) The ORGANIZATIONAL SPARE PARTS AND EQUIPMENT section—which lists items issued to organizations equipped with this materiel.
- (3) The HIGHER ECHELON SPARE PARTS AND EQUIPMENT (Addendum) section—which lists major items, maintenance parts and equipment available for maintenance of this materiel. (This section is for use of Ordnance personnel only.)

For full information relative to Standard Nomenclature Lists, the procedure followed and the principles employed in their compilation, together with the purposes and uses thereof, see the Introduction (ORD 1 IOC), the Index (ORD 2 OPSI), and the Ordnance Provision System Regulations (OPSR).

HEADQUARTERS, ARMY SERVICE FORCES, 24 OCTOBER 1944



ORD 7

ORGANIZATIONAL SPARE PARTS AND EQUIPMENT

TABLE OF CONTENTS

IST OF F	IGUR	ES .	•	• ~			•		•				•		٠	•	•		3
ORGANIZ	OITA	NAL .	SPAI	RE I	PAF	RTS	;	•	•	•	•		•		•	•	•	•	5
ORGANIZ	OITA	NAL	T00	LS	•		•	•		•	•		•	•	•	٠.	•	•	11
VEHICULA	R SP	ARE I	PARI	ſS	•		•	•			•	. •	•			•		•	12
VEHICULA	R TO	OLS	AND	EG	UI	PM	EN'	T	•	•	•	•	•	•	٠	•	٠		. 12
VEHICULA	R AR	MAM	ENT	•	•	•	•	•	•	•	•	•	•	•	٠	٠	• ,		15
VEHICULA	AR AR	MAM	ENT	SP	ARI	P	AR	TS	•	•	•	•	•	•	•	•	٠	٠	15
VĖHICULA	R AR	MAM	ENT	TO	OĽ:	5 4	N	A	CCI	ES5	OR	IES	•	•	٠	÷	•	•	16
VEHICULA	AR SIC	SHTIN	ig A	ND	FI	RE	CC	N	RO	L E	QU	IPA	AEN	T	•	•	•		17
NEHICÚL	R AN	AMUN	IITIO	N É	•	•	•	•	•	•	٠	٠.	٠	•	٠	•	٠	•	18
APPLICAE	LE CI	LEANI	NG	AN	Di	PRE	SEI	RVI	NG	M	ATE	RIA	\LS	•	•	٠	•	٠	18
ARTICLES	FOR	INST	RUCT	101	IA	L P	UR	PO	SES	•		•	•	•	•	•	•	٠	18
NAJOR II	rem			•	•	•	٠	•		•	٠	•	•	•	•	•	. •	•	19
NOTES .	•		•	•			•	•	•	•	•	•.		•	•	•		•	19
MANUFAC	CTURE	R'S S	YMB	OLS	5	•	•	•	•	•	•	•	•	•	•	٠	•	•	19
					LIS	ST	OF	F	JG	JRE	S								
Figure No 1		Armo	red,	. Uti	ility	,, 1	M2 ()	•	•	•		:					·	Page 4
2	Tools	for (Car,	Arn	nor	ed	, U	tilit	y, I	M2(o .	•	•	•.	•	•	•	•	20




FIGURE 1—CAR, ARMORED, UTILITY, M20

	Note	og min		Col. 14																				
	4 6	101 Up Vehicles	Set No. 8	Cèi. 73			-	;	7 7	21	= =	: ::	=	=		25	21	11	•	01 0	٧	16		N N O
	Units performing 8000-mile (100 hr.) maintenance services (see TM 9-2810)	78-100 Vehicles	Set No. 7	Cal. 12				٥	o	16	∞ «) w	∞	œ	•	4	16	∞		 +		12		4 4 1-
7	forming fraintenance TM 9-28	51-76 Vehicles	Set No. 6	Col. 11				v	۰ ۲	12	ص رم م	ω (9	v	,	ش	12	9	,		∢	0		
UNIT BREAK-DOWN	Units per (100 hr.) r (see	26-50 Vehicles	Set No. 6	Cof. 10		, , , , , , , , , , , , , , , , , , ,		u	n =	o i	n n	o vo	ß	v	•	7	6	พ	,			~		777
NIT BRE		1-25 Vehicles	Set No. 4	Cof. 9		T.		\	t		4 4	4	4	4		67	7	4				25		0.01
2	000-mile services 10)	51-75 Vehicles	Set No. 3	Col. 8				"	າ	zo (n n	m	ო	m	٠.	-	s	ო				4	··········	
	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	26-50 Vehicles	Set No. 2	Col. 7				c	٧	4	~ ~	101	61	- 64		-	4	64				m		нн
	Units per (50 hr.) n (see	1-25 Vehicles	Set No. 1	Col. 6						ო (-	1				ო	-	-			61		
	2		-	Col. 5	ORGANIZATIONAL SPARE PARTS	Columns 6 through 13 in this section show the estimated quantities of parts required by Units performing 1000-mile (50 hr.) and 6000-mile (100 hr.) maintenance services to maintain the various quantities of the vehicle assigned to those Units.	GROUP 01-ENGINE	ELEMENT, oil filter, assembly (type C-31-A)	FILTER, oil, w/BASE, assembly.	GASKET, valve chamber cover (1/8 cork)	GASKET, valve cover fitting (cork)	GASKET, cylinder head, S., and asbestos	GASKET, oil filter, attaching (1/22 vellumoid)	GASKE1, oil filter case cover (vellumoid) (FR-11582)	GASKET, oil filter case cover screw (copper)	(FR-11581)	GASKET, oil pan, half (1/2 vellumoid)	GASKET, oil pan drain plug (copper and asbestos)	E	PLITG drain oil nan	SCREW, cap, hex-hd., alloy-S., ½-13NC-2 x 31/8	(cylinder head) (SAE-2330)	GROUP 02—CEUTCH	GASKET, clutch master cylinder filler plug HOSE, flexible, clutch slave cylinder
	Part Number		Manufacturer	Cot. 4				HM-17256CS	HM-42842.DS	HM-41005-B	HM-18573-A	HM-42236-C	HM-42852-A	HM-32249-A	HM-11382-A		HM-42183-B	HM-296-A	HM-11603-A	HW.14867.A	HM-4118-A			LO-FC-5922 WH-70099
			Ordnance	Col. 3				B247235		B153279	-		•				_	_			A144647			A283976 A283824 A283817
Official	Stock Number	Order and Store by	This Number	Col. 21			•	G134-0131615	G136-0183052	G124 0103922	G136-0194015	G134-0193836	G134-0193839	9/04610-0215	G134-0193824		G134-0193835	G120-0193945	G120-0340035	G134-0340421	G067-1201110	•		G134-0193788 G136-0217815 G136-0389827
	Figure			Col. 1																			•	

. •
ORGANIZATIONAL SPARE PARTS (Cont'd)
BOWL, fuel pump, glassCAP, fuel tank, w/CHAIN, assembly
CAKEUKE 1 OK, assembly
FILTER, fuel, assembly
GASKET, carburetor flange to manifold
GASKET, fuel strainer cover GASKET, fuel pump bowl
GASKET, fuel pump to blockGASKET, fuel strainer
PUMP, fuel, assembly
GASKET, exhaust pipe elbow to muffler
BELT, fan drive
BEL1, generator (use with Generator D0/308) BELT, generator (use with Generator D67368A).
CAP, radiator pressure (9 lb.)
radiator hose connections, w/SCREW, and NUT
CUP, grease, automatic feed, $\frac{1}{2}$ -27NPT, $\frac{1}{2}$ 02 GASKET, fibre, 1 $\frac{1}{8}$ 8 I.D. x 2 $\frac{1}{8}$ 9 O.D. x 0.062 thk.
(radiator cap)
moid)

. *			H-15				•											≺⁺ -		**			
		<u>-</u>	#													-		H-4		H-4		——— 	H-4
8 8 11 8	0 0	74	w w	9 10	~ ~	~		4		4 64	2	42	32			~		=======================================		32	:	7	S
0000			4 64	- 7		·		87			~	32	24.	•	٠	~		∞		24		ò	4
ນນບນ		-	m 07 ·	ч 6	~ °	ι 🛏		< 1		- -	_	54	18	,	٠.	-		φ		18		•	 E
4404			8 11	٦.	⊷' ⊢	-			٦.	٠,,		18	41	-	٠			'n		4	u		7
w w 4 w			07 H	-					•	••		4 ;	9					4	;	 8			
0000	· ·		H			•					,	10	∞			•		.n		~		·	_
0000		787. St. 112	-			*					,	 -	o		-					<u> </u>	•	*	_
			-									φ ,	4				•			4		•	_
		dry con- 150)	::	: :	: :			:	: :	:	:	:	: Hg	ة	s,	. M	*	<u>.</u>		: så	₽	. si î	,
GASKET, water pump cover (1/2 vellumoid)	distributor drive gear, assemblyTHERMOSTAT, engine, assembly (FLS-158-A) GROUP 66—ELECTRICAL	12-16 V., type 8T, LYTE in separate COLYTE, 51-A-1562- ERY, wet charged, ma	BREAKER, circuit, instrument panel, 20 amp	CAP, distributor, assembly.	CONDENSER, distributor, assembly	DISTRIBUTOR, assembly	or BATTERY, dry c	GAGE, fuel. instrument nanel	GAGE, oil pressure, engine unit.	GAGE, oil pressure, 80 lbs., instrument panel	CACKET imition with the contraction	GASKET, spark plug	GENERATOR, w/35% pulley, assembly (use on all	M20's below serial No. 30) (use with Belt D67400B).	GENERATOR, w/4½ pulley (used on all M20's	LAMP, elec., incand., scaled, 12-16 V., driving	sgle-tung-fil., No. 1261, 40 watt (C-6 fil., screw	LAMP, elec., incand., min., 12-16 V., dble-tung-fil.,	No. 1247, 3 cp. (SC cand. bay. base, G-6 bulb	LAMP-UNIT, blackout tail, sealed, 4 opening	12-16 V., 3 cp., assembly. (lower, left and right) (GL-5933305)	LAMP-UNIT, blackout stop, sealed, one-opening, 12-16 V., 3 cp., assembly (upper, right)	8)
HM-22164-A HM-22149-A HM-22166-A HM-40170-CS	HM-11770-BS			AL-IAC-1051	AL-1G-267-IN	AL-IAC-4003			KS-40391	KS-40311-1	N3-40303-1	-				GL-5934392		GL-5935000		FM-GPA-13491	-	FM-GPA-13485	
A171671 A171670 A283403 C65948	-	B199959 500908	B199968N A284644	Ho4860¢	2500	B246885		B199960B	B246995	B246994	A285007	A330160	D67368		D67368A	193137		190917		504419	•	504422	
G067-1200591 G067-1200589 G134-0217450 G067-1200755 G067-1200950	G134-0400162	G104-1507301 H015-500908	G104-1793699 G136-5284644	G104-1531634	G134-0138998	G134-0152015 51-A-1562-150		G148-0194161	G134-0194062	G134-0194061	G136-0194039	G136-0194040	G134-0196300		G136-0125915	H104-193137	,	H104-190917		H004-504419		H004-504422	-
								,												•			1

						i					
Stock		Part Number	≥ 10 mm m m m m m m m m m m m m m m m m m	Units pe (50 hr.) m (see	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	000-mile services 10)	75	Juits perfor 00 hr.) mail (see Th	Units performing 6000-mile (100 hr.) maintenance services (see TM 9-2810)	mile vices	Note
Order and				1-25 Vehicles	26-50 Vehicles	51-75 Vehicles	1-25 Vehicles	26-50 6 Vehicles Vel	61-75 76-1 Vehicles Vehic	76-100 101 Up Vehicles Vehicles	
mper	Ordnance	Manufacturer		Set No. 1	Set No. 2	Set No. 3	Set No. 4	Set No. 5	Set Set No. 6 No. 7	7 No. 8	•
Col. 2	Col. 3	Col. 4	Col. 6	Col. 6	Col. 7	Sol. 8	Col. 9	Col. 10 Go	Col. 11 Col. 12	12 Col. 13	13 Col. 14
	- -		ORGANIZATIONAL SPARE PARTS (Cont'd)								
	•		GROUP 06-ELECTRICAL (Cont'd)								
M001-0107347:	C105860	GL-5934473	LAMP-UNIT, blackout, driving, sealed, shielded,	•	•	•	•	•			
H004-504416	504416	FM-GPA-13494	6-8 V., No. 2405S, 15 watt, 10 cp., C-6 fil., 6 V LAMP-UNIT, service tail and stop. sealed, 12-16	-			64		m	4. w	 <u>r</u> 4
MC001 0014811	0.000	2101010	V., 21-6 cp., assembly (upper left) (GL-5933302)	. 	-	-	77	7	m		H.4
	770007		mounting base, assembly						<u>-</u>		H-4
H004-504411	504411	FM-GPA-13404 .	LIGHT, blackout tail and blackout stop, 12-16 V., \(\frac{7\empty}{\pi} \) in long mtg. stud, assembly (R.H.)								
H004-504404	504404	FM-GPA-13405	(GL-927234). LIGHT, blackout tail and service tail and stop,				•	-		~	H-4
		:	12-16 V., 1/8 in. long mtg. stud, assembly (L.H.)					-			<u> </u>
G103-161404	D59636B	GL-925509	LIGHT, combination, blackout marker and sealed								
G103-1671604	D59771B	GL-925561	service head, 12-16 V., assembly					+		~	H-4
	Ŷ		shielded scaled blackout head, 12.16 V., assembly					+4	-		H-4
G136-03-91830	B248694	AL-MAY-4138	MOTOR, cranking assembly (also known as starter)								
G136-03-40470	A283470	CP-JC-10	PLUG, spark, 14MM, assembly	∞ ⋅	10	14	16		4.		
G136-03-42322 G134-03-89052	B048607	AL-1GP-3028KS FM-00B-11450	POINT SELI, distributor breaker	-	24	24	24		4 -		
G166-03-67338	C118073		REGULATOR, generator, assembly (second type)						· 		
٠			(used on all M20 above 115)			_	-	-	2	m 	
G136-0367413	C118349	AL-VRH-4101C	REGULATOR, generator voltage, assembly (first								
G104-1773609		LA-IAC-1016	type) (used on all MAZO through 113)						. 2	9 m	
			STARTER, assembly (see MOTOR, cranking).			•••					
G104-1793711	B257738		SWITCH, blackout driving light					.		- 61	
G103-0502110	B183176	HC-7160	SWITCH, blackout head light			_,-	-	<u>·</u>			
G134-393784	A283452	FM-19-B-11500	SWITCH, button, cranking motor, assembly		•				r ,	~	•
G104-1793789	B259561	UTS-E-9404	ignition								
G176-5284412	A284412		SWITCH, instrument panel lights, assembly								

								H-2	9-H	H-6																				H. 13	77
-	000	_	7		16	= :	Ξ		е				ω ,	01 F	٠ ،	2 64	רעו	. v	28	Ŋ	,	ري دي	~ :		r,	~	∞	25		μ ο	-
			н		12	∞ .	∞	s	63	63		-	4.	 ν		•	4	4	21	4		4 .			4	-	 Ф	19			-
		•			6	9	•	4	7	7			رن 	4	+ 6	٠,	m	ო	16	m		ო .	·		m	1	s,	14		v	-
84412)			,		7	S.	n	m	+	.					· -		- 71	64	12	7		(7)	u		- 73		4	11			
76-52 84					ึง	4	4	77					21		٠	•	8	7	0	7		~	4	 -	7		ო	®			- -
 	<u> </u>				4	т	m	~				•	-	•	4		-		7			_	~~~	,	1		~	9			-
SWIT CH. G176-52					m	67	 			···			_	c	4			-	2			- -		۹ .	1		64	v			-
			<u></u>		7	-	-	1				•		•			-	, p-4	4			н	-		-1		-	4			-
SWITCH, instrument panel lights, assembly (Issue until stock is exhausted, then issue A284412, SWITCH)	SWITCH, master, assembly. SWITCH, stop light, assembly. VOLTMETER, assembly.	GROUP 07-TRANSMISSION	PLUG, pipe, magnetic, sq-hd., 3/4-14, std. pipe thread (drain plug) (also used on transfer case)	GROUP 10-FRONT AND INTERMEDIATE AXLE	BOOT, steering knuckle, zipper type	CLAMP, boot, inner	CLAMP, boot, outer.	seal, 3/8-27NPT, male (front axle)	PLUG, pipe, sq-hd., black, 1/2 in. (front axle socket)	PLUG, pipe, sq-hd., black, ¾ in. (differential filler)	GROUP 12—BRAKE		BOOT, brake master cylinder	CABLE, S., 3% x 71/2, hand brake	CT AND 16 has hydrone to check value has	CYLINDER, master brake, assembly	CYLINDER, 1% diameter, wheel, brake, right	CYLINDER, 1% diameter, wheel, brake, left	GASKET, cop., 33 1.D. x 13 6.O.D., hydrovac, inner	GASKET, filler plug, brake master cylinder	HOSE, brake, assembly (171/2 in. long) (1 used hull	to rear axle; 1 used hull to intermediate axle)	HYDROVAC, assembly	HOSE, brake, 78 1.D. x 11 iii. 10118 (11011 axie eilus).	long	PLUG, filler, brake master cylinder	SHOE, brake, w/LINING, assembly	SPRING, brake shoe, retracting	GROUP 13-WHEEL, HUB AND DRUM	CONE and ROLLERS, taper roller bearing, 21%	bore x 1.1875 width, wheel, inner
	RBM-CX230800 FM-11A-13480		WG-1520N		, TD-3280-P-1602	TD-3280-3-1622	TD-3280-4-1620		FM-353064-S	WG-X1520			LO-FC-1331	BV.271010	016116-00	LO-FE-2120	LO-FD-7642	LO-FD-7643		LO-FC-2037		1	BX-373330			LO-FC-4073	BX-46908	BX-46467		TIM-33281	
A244711	B246956 A283457 B199965		A276968		C100433	C118092	C118091	304200 B289258	219199	219301	/0c407C		A167897	B248746	A215023	C117670	B246815A	B246815B	A285030	A167884	A284017A		D72378	A284017B		A167888	C127172	B246822		A283654A	_
G104-1793705	G134-0393787 G134-0393785 G176-0774906		G136-0340663	Y-	G102-1524323	G136-0137806	G136-0137805	0075070-7001	H006-0283815	H006-0283820			G067-0600130	G136-0131228	G134-0137803	G134-0145645	G134-0145643	G134-0145644	G134-0193877	G067-0600790	G136-0217820		G136-0223460	G134-021/465	610/170-000	G067-0601480	G136-0385090	G136-0389805		H012-6163580	
																						-							,		-

ORGANIZATIONAL SPARE PARTS AND EQUIPMENT

							>	UNI BREAK-DOWN	¥-00-4				
Figure	Official Stock Number		Part Number	. <u>-</u>	Units pe (50 hr.) m (se	Units performing 1000-mile (50 hr.) maintenance services (see TM 9-2810)	000-mile services (0)	==	Units performing 6000-mile (100 hr.) maintenance services (see TM 9-2810)	orming (aintenance TM 9-281	000-mile services 0)		Note Sumbol
Number	Order and				1-25 Vehicles	28-50 Vehicles	51-75 Vehicles	Vehicles	26-50 51-75 Vehicles Vehicles		76-100 101 Up Vehicles Vehicles	101 Up Vehicles	
	This Number	Ordnance	Manufacturer		Set No. 1	Set No. 2	Set No.3	Set No. 4	Set No. 5	No. B	No.7	Set No. 8	
Col. 1	Col. 2	Col. 3	Col. 4	Col. 6	Col. 6	Col. 7	Col. 8	+			Col. 12	Col. 13	Col. 14
				ORGANIZATIONAL SPARE PARTS (Cont'd)									
			-	GROUP 13—WHEELS, HUBS and DRUMS (Cont'd)	I						•		
	H012-6103000	A283655A	TIM-395-A	CONE and ROLLERS, taper roller bearing, 2.625 hore x 0.866 thk. wheel outer		8		er:	4	v		0	# 1,1
	H012-6225100	A283654B	TIM-33472	CUP, taper roller bearing, 4.7244 O.D., wheel,	•) (· u		, (; ;
	H012-6202450	A283655B	TIM-394-A	CUP, taper roller bearing, 4.3307 O.D., wheel,		4	4	?	1 ·	n	•	עכ	71-14
	- 1		,	outer		7	7	m	4	'n		o,	H-12
	G134-0114737	A283151B	FM-BB-1134	NOI, special, S., 1/8-16NF-2, left-hand thread (mounting left wheel)	4	Ŋ	7	0,	12	16	21	78	H-14
	G134-0114736	A283151A	FM-BB-1135	NUT, special, S., 11/8-16NF-2, right-hand thread	4	v		σ	ç	<u> </u>		ä	H-14
	G136-0143558	A283731	000 A C	OIL SEAL, wiper, cup (for wheel bearing)	· .) H (, , ,) - -	101	2 61 6	; m ;	4 5	H-12
. •	G136-0382850	A283/43	T.D-A-1205-F-432	OLL SEAL, for wheel bearing	→	73	n	n	0	×	3	S	21-H
	-			GROUP 22—MISCELLANEOUS									
-	G134-0384731 G104-1789551	B248767 B199958	SW-97800-114	CABLE and SHAFT, speedometer, assembly								9 9	
		NOTE: Wh	ere the same part is should be issued on ba	NOTE: Where the same part is common to two or more vehicles assigned to the same unit, the part should be issued on basis of the total number of vehicles to which the part applies.	ie same part ap	unit, plies.			<u></u>				
		-								- ***	<i>u</i>		
							m						
						-	_			-	-		

ORGANIZATIONAL TOOLS

The issue of the following organizational tool sets, the component items of which are listed hereunder in columnar form, are as follows:

TOOL-SET, BATTALION CREW: (Col. 8). As authorized in applicable T/BA, T/A or T/O&E.

TOOL-SET, REGIMENTAL MAINTENANCE PLATOON: (Col. 9). As authorized in applicable T/BA, T/A, or T/O&E.

	Note Symbol		Col. 10	٠	G-27 W		G-27 W		G-27 W	G-27 W		G-27 W		G-27 W		× 2-5
Tool-Set,	Maintenance	Platoon	Col. 9		-	ı	H		-	_	1			•		
	Battalion Crew		Cal. 8	-	H	:			-	-	ı			•	۱ +	-
	Company		Col. 7		•						_					
2	Mechanics		Col. 6													
5 6			Col. 5	SPECIAL TOOLS	EYE, lifting, engine	REMOVER and REPLACER, bearing cup and grease retain-	retainer, steering sector shaft	REMOVER and REPLACER, pin, spring shackle (formerly	REPLACER, bearing cup. pillow block (formerly	41-R-2395-29)	긆	41-R-2394-108)	REPLACER, seal (grease), axle hub bearing cone (inner),	41-R-2394-130).	WDDNICH around the samine of presentations	W.K.E.IN.C.T., crowlood, engine on pressure regulating
Part Number		Manufacturer	Col. 4			WKR-M8-503		WKR-M8-315	WKR-M8-130		WKR-M8-107		WKR-M8-121		KW. 2268. A	W-0077-70141
Par		Ordnance	Col. 3		7079277	B295837		C102839	B295853		B295848	1	C102845		A 386470	2750000
Official Stock Number	Order and	This Number	Col. 2		41-E-647	41-R-2374-880		41-R-2378-550	41-R-2385-205		41-R-2396-400		41-K-2397-300		41.W.871.40	21-170-M-11
	Number		Col. 1			8			61		67	,	. 78	•		

VEHICULAR SPARE PARTS
PARTS PARTS (type used) (type used) (type A, except painted olive drab) (type VII, class B) (type VII, class B)
H 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.
H
H
H 7.2 2.7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
H 3.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15
24 111111111111111111111111111111111111
11111111111111111111111111111111111111
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1.1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11 11 11 11 11 11 11 11 11 11 11 11 11
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
11 11 11 11 11 11 11 11 11 11 11 11 11
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

į	Official Stock Number	Pai	Part Number		Quantity	•	
Number	Order and Store by				Vehicle	Symbol	s Sol
	This Number	Ordnance	Manufacturer				
Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6	Col. 7	_
	,			VEHICULAR TOOLS AND EQUIPMENT (Cont'd)	* # # # # # # # # # # # # # # # # # # #		
				Common Tools (Cont'd)	ï		
	41-M-722			MATTOCK, pick, without handle (type II, class F) (Mattock, pick, Fed. Stock No. 41-M-722 and handle, mattock, Fed. Stock No. 41-H-1286, constitutes mattock, pick, w/HANDLE, as	1		
				listed in T/O&E's and T/A's).		J-6	M
	13-0-900	***************************************		OILER, steel, pump, 9 in, spout, 1 pt. (type II).			≱ ;
	41-P-1977	THAXIA		PLIERS's ide-cutting, flat nose, 8 in.		2-7	3 ≥
	41-S-1063	TGAX2B		SCREWDRIVER, close quarter, 134 x 1/4 in. blade, 4 in. over-all (type II)	· =	4	: ≽
	41-5-1101	TGAXIA		SCREWDRIVER, common, normal duty, single grip (type III, class C), 3 x % in. blade		, , ,	A
	41-5-1385	TGBXIA		SUKEWDELVER, machinists, extra heavy duty, wood insert handle (type V, class B), 5 x 1/s in, blade.	•	7.	M
	41-S-3170			SHOVEL, general purpose, D-handle, plain back, strap pattern, round point, No. 2 (blade	•	,	:
	0,00	ACTANT		width 9½ in, blade length 11% in, length of handle 26 in.) (type IV, size 2)		J-6	≱ ;
	41-W-480	TKKXIA		WRENCH, adjustable, crescent type, single end (type 1, class B) 6 in. ('% in. jaw opening) WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel, \(\%_6 \) in. and	-		≩
	41-W-1000	TKKXIG		3% in. WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel, 7k in, and	H	J-4	×
	41.W.1005.5	TKKX13F		WENCH engineers, 15° and a double head over and normal duty allow steel 3, and		J -4	×
			•	1/6 in	- -	1-4	≱
	41-W-1008	TKKX2F		WRENCH, engineers', 15° angle, double head, open end, normal duty, alloy steel, 3% and 34 in.	-	J-4	8
	41-W-1015	TKKX3D	•	WRENCH, engineers', 15' angle, double head, open end, normal duty, alloy steel, 136 and 78 in.	⊣ •	J-4	≱⊹
•	41-W-3009	TKEX3D		WRENCH, engineers, 15 angle, double head, open end, normal duty, alloy steel, 1% and 1 in. WRENCH socket (detachable) 1% in source drive 12 point opening 3% in		4-1 4-1	≩ ≩
	41-W-3013	TKEX3F	•	WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 1/3 in.	٠	4	: ≱
	41-W-3017	TKEX3H	•	WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 3/4 in	~	4	: ≱
	41-W-3023	TKEX3M		WRENCH, socket (detachable), 1/2 in. square drive, 12 point opening, 7/8 in			×
	41-W-3025	TKEX3N		WRENCH, socket (detachable), ½ in. square drive, 12 point opening, ½ in			≱ :
	41-W-3334-100 41-W-3843-25		-	WRENCH, wheel stud nut, double end, hexagon openings, 1.062 x 1.505 in., 8 in. over-all			≥ ≽
				Special Tools			ORD
					_		

		88		K-1 W		H-5	H-9					Sig. C. W	Chem.W.W	Sig. C.	OMC W	QMC W	Eng.C.W	Sig.C. W	Med.C.	Sig.C.	CMC ₩	Sig.C. W	Sig.C. W	QMC W	~-				S CMC	owc w
		407	, .	, 6 4		(-	-		•	•		 -(H	30	=	-	***	100	~	w,			H	-			9	9,	-4 -	- cı
Equipment and Accessories	7 SNL G-176 Organizational Spe 9 SNL G-176, Service Parts Cati nical Manual 9-743 (additional iss	CHAINS, skid, single, pneumatic, tire, 9.00 x 20.00, type TS.	FORM, War Department, A.G.O. 478 (in container, Form No. 478-1)	HELMET, tank (one per crew member) (issue until stock is exhausted)	ORDER, lubrication, War Department No. 139 (also known as GUIDE),	TAPE, friction, general use, black (grade A) % in. wide, 30 ft. roll.	WIRE, steel, carbon, low, annealed (soft), black, 0.080 in.	Issued by Other Technical Services	The following items of equipment procured, stored and issued by technical services	other than the Ordnance Department, are Issued initially with the vehicle described herein. Replacements only will be requisitioned on appropriate tech-	nical service in the usual manner in accordance with current regulations:	ANTENNA, complete w/cover (spare).	APPARATUS, decontaminating, $1/2$ qt. M2 (Spec. 197-54-113)	(SC-BA-30)	BUCKET, canvas, folding, 18 qt. (QMC-1-8-9)	CAN, water, 5-gallon (QMC-A353). EXTINGITISHED for portable carbon divide hand 4 th countable water	and trieger operated valve	FLASHLIGHT, electric, hand, 2-cell, with lamp, w/o batteries (Spec. W-F-421) (SC-TL-122)	KIT, first aid (24 units) (Spec. 1553)	LAMP (spare for flashlight) (SC-LM-35A)	MITTENS, asbestos, pair	RADIO SET. SCR-506 (where specified)	RADIO SET, SCR-508 or SCR-510, or SCR-528 or SCR-608, or SCR-610.	TUBE, flexible nozzle, cam type (for refillable gasoline drums)	Provisions are made for stowage of the following equipment which is installed in the	vehicle by the using troops, and is not included in the initial issue by the Ordnance Denartment:	BAG, canvas, field, O.D. M1936 (QMC-2-3-16)	CANTEEN, M1910, 1 qt. (QMC-2-9-10).	CUTTER, wire, M1938:	FLAG-SET, M238 MACHETE M1030 w/sheath
				-	•																							-		
-		B262413 D67438	•	C76072		A312477 A312440										D37197								B263936		•				
		G147-135400 G176-5667438				27-T-180-250 17-T-803	22-W-1633-160			ı	•					64-C-281		*		1	37-M-360			42-T-13600				74-C-80	74-C-330	


	Symbol	Col. 7			QMC QMC W QMC W			A-1 W A-1 W A-1 W	B-1 W B-1 W	B-1 W				A-19	A-19
Quantity	Vehicle	Col. 6							. സ പ	g-ret				-	
Nu H		Col. 5	VEHICULAR TOOLS AND EQUIPMENT (Cont'd)	Issued by Other Technical Services (Cont'd)	RATIONS, field ROLL, blanket. STOVE, cooking, gasoline, M1941.	VEHICULAR ARMAMENT	The armament and mounts listed hereunder are installed in the vehicle prior to issue of the vehicle to troops: GUN mechine, cal50, M2, HB, flexible (Ordnance Class and Division No. 51-70) (reviewed to the contract of t	MOUNT, ring, M49 (reviewed in SNL A-55, Sec. 19). MOUNT, tripod, machine gun, cal50, M3 (reviewed in SNL A-39). Provisions are made for stowage of the following armament which is installed in the	vehicle by the using troops, and is not included in the initial issue by the Ordnance Department: CARBINE, cal30, M1 (Ordnance Class and Division No. 42-36) (reviewed in SNL B-28) LAUNCHER, grenade, M8 (for carbine cal30, M1) (reviewed in SNL B-39)	(reviewed in SNL B-36)	VEHICULAR ARMAMENT SPARE PARTS; FOR:	GUN, machine, cal50, M2, HB, flexible	Provisions are made for stowage of the following items which are installed in the vehicle by the using troops, and are not included in the initial issue by the Ordnance Department:	BARREL (spare)	BARREL, assembly (alternate for D28253A, BARREL) (to be issued until supply is exhausted)
Part Number	Manufacturer	Col. 4	•	-											
Pa	Ordnance	Col. 3			-		51-70	D54500 D7135	42-36 C113709 41-1				****	D28253A	D28269
Official Stock Number	Order and Store by This Number	Col. 2					A001-0100550	C176-6554500 A001-0305801	B001-0100015 B001-371875	0	······································	··		A039-0100008	A039-0100040
Flaure	Number	Col. 1						-:			-	· • •, · • <u>_</u>			

A037-0100468	A152835 A8076	DISK, buffer FYTENSTON fring and analysis	 •	A-19
A037-0100520	B8959	EXTRACTOR assembly		A-19
A037-0100729	B9718	LEVER, cocking	٦,	A-10
H001-0811039	103373	PIN, cotter, split, S., 32 x 34 (belt feed lever pivot stud).		i i
H001-0811321	107763	1% × %	·	H-1-1
H001-0811027	103362	S., 1/6 × 3/4		H-1
A038-7310080	7310080	PIN, firing (alternate, for B17171, PIN)	ı	A-19
		or		
A037-0101054	B17171	PIN, firing (issue until stock is exhausted)	⊷-	A-19
A037-0101310	A13515	PLUNGER, belt feed lever	-	A-19
-A037-0101470	C64305	ROD, driving spring, w/spring, assembly	-	A-19
		SUIDE, belt feed group (not to be requisitioned as an assembly; requisition by components		
		only).	₩.	
A037-0100010	B8014	(Consisting of:		\$
A037-0100940	B8961			A-19
A037-0101010	B8962	1 PIN belt feed pawl, assembly		Δ.10
A037-616110	B261110	1 SLIDE, feed, belt, assembly		A-10
A037-0101775	A9351	1 SPRING beit feed pawl)		Α-19
A037-0101740	A13595	SLIDE, sear.	•-	Δ-10
A037-0101780	A13516	SPRING, helt feed lever nimoge	٠.	4.19
A037-0101777	A9522	SPRING belt holding nawl	٠.	A-19
A 037-0101805	B9741	SPRING course extractor	٠.	4.19
A027-0101830	E8008	SPETIC Locking Forms		A-19
A037-0101843	A0524	CAPACA CAMER DATA CA	٠.	A-19
A037-0101643 A037-0101943	A3324	STUD. bolt	r-	A-19
OF 64040-10044			-	61-W
•	-	VEHICULAR ARMAMENT TOOLS AND ACCESSORIES; FOR:		5
•	_	CARBINE, cal30, M1		
		Descriptions and models for the state of the		
·		vehicle by the using troops: BOOK, Field Manual 23-7, cal30, carbine, M1	#4	
		GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun,		
		Accessories		
			•	
G104-6580064	D80064 D91030	COVER, gun and mount, cal. 50.	⊣	≱ ≱
		Provisions are made for the stowage of the following items which are installed in the vehicle by the using troops:		
		Common Tools	,	
13-0-1530	CLGX1B	OILER, steel (hand), push bottom, 4 in. straight spout, 1/2 pt	.	M
-	DOJLT			

	Symbol	-	Col. 7				A:19 W	T-5			A-39 W			A-19 W	A-19 W	A-19	A-19 W					₿	F-1 W F-210 W
Quantity	Vehicle		Col. 6				₩,	11	4	, ,-		1	87		-	-			vo	4		63	
2 u t			Col. 5	VEHICULAR ARMAMENT TOOL AND ACCESSORIES; FOR: (Cont'd)	GUN, machine, cal50, M2, HB, flexible and MOUNT, tripod, machine gun, cal. 50, M3 (Cont'd)	Accessories	BAG, canvas, metallic belt link, with draw string (111/8 x 25 in.).	BOUK, Field Manual 23-65, Browning, Machine gun, cal50, HB, M2 BOX, ammunition, M2 (100 rounds) (one is spare)	BRUSH, cleaning, bristle (wire), round, cal. 50 M4.	CASE, canvas, cleaning rod and brush, M15	COVER, canvas, spare barrel (45 in.) M13	COVER, canvas, tripod mount, machine gun, cal50, M1	ENVELOPE, canvas, spare parts, one button, 3% x 3 in	EXTRACTOR, ruptured cartridge, cal50, M5 (to be issued until stock is exhausted)	EXTRACTOR, ruptured cartridge, cal50	ROD, cleaning (jointed), cal50, M7 (length 491/6 in.)	WRENCH, spanner, hook, combination, double end, cal50, M2	VEHICULAR SIGHTING AND FIRE CONTROL EQUIPMENT	Organizational spare parts and equipment for the following items having an SNL indicated in parentheses, are listed in the SNL indicated:	WINDOW, vision (spare). Provisions are made for stowage of the following equipment which is installed in the	vehicle by the using troops, and is not included in the initial issue by the Ordnance Department:	BINOCULAR, M3, complete,	(Consisting of: 1 BINOCULAR, M3 (Ordnance Class and Division No. 22-314) (SNL F-210) 1 CASE, carrying, M17)
Part Number		Manufacturer	Col. 4																				
Par		Ordnance	Col. 3				D34338	D73913	C4037	C64274	D33912	D30654	C59696	C64392	7160041	D35441	D28242		B183012	A212934			22-314 D44160
Official Stock Number	Order and Store by	This Number	Col. 2			****	24-B-706-25	41-B-571	38-B-992-27	Z4-C-534-200 A039-5561331	24-C-2842-760	24-C-2899-115	24-E-1000	41-E-33/-/3	41-E-557-50	41-R-2567-75	41-W-3249-850		A055-0345850	A055-0447460			F001-0400005 F210-0200050
21.00	Number		Col. 1					-	-					•	•	•	-			• •			

		∌ ∌	3 333	* * * * *	88888
		A-39 T-1	A-37		
500 1000 36 122 3 3		# 52 25			
Ammunition for use with these weapons is shown in SNL's T-1, S-9, S-4. Stowage facilities have been provided for the following rounds of ammunition: For GUN, Carbine, cal. 30, M1 For GUN, Carbine, cal. 30, M2 For GUN, cal. 50, Browning, M2, HB, flexible For GUN, cal. 50, Browning, M2, HB, flexible For GUN, cal. 50, Browning, M3, HB, flexible For GUNCHER, grenade, M8 (flares, signal, M17A1 series) GRENADE, rifle, M9A1 MINE, anti-tank, HE, M1, w/fuse (Ordnance Class and Division Drawing No. 82-0-42) ROCKET, anti-tank, 2.36 inch, M6 APPLICABLE CLEANING AND PRESERVING MATERIALS See ORD 5 SNL K-1.	ARTICLES FOR INSTRUCTIONAL PURPOSES; FOR: The items listed hereunder are for training purposes only and WILL NOT BE TAKEN into the field, upon permanent change of station, or into the Theater of Operations, unless otherwise indicated. Units will turn in all equipment held to the Commanding Officer of the station from which it departs. The receiving officer will make a report to the Service Command Commander without delay, showing number, type and condition of items received: GUN, Machine, cal50, Browning, M2, HB, flexible	ATTACHMENT, firing blank ammunition. CARTRIDGE, dummy, cal50, M2 (TO BE TAKEN into the field, upon permanent change of station and into the Theater of Operations). CHART, instruction, Browning Machine Gun. cal50, M2: flexible, set (one per preparation).	equipped with BMG, cal. 50, M2; to schools as required). (Consisting of: PLATE, No. 1, Adaptations (ORD No. 19151). PLATE, No. 2, Basic Nomenclature (ORD No. 19152). PLATE, No. 3. Basic Functioning (ORD No. 19153).	PLATE, No. 4, Feeding Extraction and Ejection (ORD No. 19154). PLATE, No. 5, Buffer Assembly and Barrel Extention Functioning (ORD No. 19155). PLATE, No. 6, Groups Disassembly (ORD No. 19156). PLATE, No. 7, Detail Stripping (ORD No. 19157).	PLATE, No. 8, Bolt Assembly (ORD No. 19158) PLATE, No. 9, Feed Change Over (ORD No. 19159) PLATE, No. 10, Precautions (ORD No. 19160) PLATE, No. 11, Watercooled Adaptations (ORD No. 19161) PLATE, No. 12, Aircraft Adaptations (ORD No. 19162) PLATE, No. 13, Heavy Barrel Adaptations (ORD No. 19163))
				.′	
82-0-42 C36-1-1		B147421 C56579 7034575			
3 3 2	<u> </u>	C56			·
		A039-8800011 A037-7034575			

MAJOR ITEMS	Class Division 31 287 Car, armored, utility, M20	NOTES	The SNL reference in the note symbol column indicates the SNL in which the item is stored, issued, and reviewed. The major item indicated by (\$\tilde{\pi}\$) is stored, issued and reviewed under "Major Items", ORD 3, SNL G-1. (a) Items indicated by (W) are non-expendable. (b) Items not marked by (W) are expendable. (b) Items not marked by (W) are Engineers Corps Med. C Medical Department OMC Quartermaster Department Sig. C. Signal Corps	1 (3	Listed below for identification purposes are the symbol prefix and address of each manufacturer pertinent to this list.	Name of Manufacturer	AC Spark Plug Division (General Motors Corp.), 1300 N. Dort Hghwy., Flint 2, Mich.	Much. Bectric Auro-Lite Co., Main Post Office Box 931, Toledo 1, O. Bendix Products Div., 401 Bendix Drive, South Bend 20, Ind. Champion Spark Plug Co., 900 Upton Ave., Toledo 1, O. Bendix Products Div., 401 Bendix Drive, South Bend 20, Ind. Champion Spark Plug Co., 900 Upton Ave., Toledo 1, O. Famco Machine Co., 1320 18th St., Rachie, Wis. Futton Sylphon Co. (The), P. O. Box 400, Knoxville 4, Tenn. Ford Motor Co., 2000 Schaefer Rd., Dearborn, Mich. Fram Corp., 55 Pavtucket Ave., E. Providence 16, R. I. Guide Lamp Div. (General Motors Corp.), 25th St. and Arrow Ave., Anderson, Ind. Cole-Hersee Co., 54 Old Colony Ave., So Boston 27, Mass. Hercules Motors Corps., 201 - 11th, S. E., Canton 2, Holley Carburetor Co., 5930 Vancouver Ave., Detroit 4, Mich. Kent-Moore Organization, Inc., 485 W. Milwaukee, Detroit 2, Mich. King-Seeley Corp., 318 St. 1st St., Ann Arbor, Mich. Lyon Metal Products, Inc., 601 West 26th St., New York 1, N. Y. Lycoming Div. (Aviation Corp.), 652 Oliver St., Williamsport 38, Pa. "Mazda"—General Electric Co., Schenectady 5, N. Y. RBM Manufacturing Co., 1601 Wall St., Fort Wayne 6, Ind. Stewart-Warner Corp., 1826 Diversey Pkwy., Detroit 32, Mich. Timken-Detroit Axle Co., 1601 Wall St., Fort Wayne 6, Ind. Stewart-Warner Corp., 1826 Diversey Pkwy., Canton, O. United Specialties Co., 9705 Cottage Grove Ave., Chicago 28, Ill. Warner Gear Div. (Borg-Warner Corp.), 1108 E. Seymour St., Muncie, Ind. Warner Gear Div. (Borg-Warner Corp.), 131 St. St., Cleveland 8, O. Wilson, K. R., 10 Lock St., Buffalo 2, N. Y. Zenith Carburetor Div. (Bendix Aviation Corp.), 696 Hart Ave., Detroit 14, Mich.
	Note Symbol		The SNL reference in Zhe major item indic W (a) Items indicated b (b) Items not market Chem. W Chemical Warl QM		Listed below for to this list.	Symbol	AC	BAL BAL FIC FIC FIC FIC FIC FIC FIC FIC FIC FIC
							•	



REPLACER 41-R-2396-400

FIGURE 2—TOOLS FOR CAR, ARMORED, UTILITY, M20

20